International Journal of Advance and Applied Research
Peer Reviewed | International Open Access Journal
ISSN: 2347-7075 | Impact Factor – 8.26 | *Website:* https://ijaar.co.in/
Volume-14, Issue-1 | September - October 2026

Original Article

A Smart Cloud-Based Vehicle Service Booking and Management System Using Data Analytics

Param Patil

M.Sc. Information Technology (Part I), Sonopant Dandekar Shikshan Mandali, Palghar, Mumbai University

Manuscript ID: IJAAR-140141

ISSN: 2347-7075
Impact Factor – 8.26

Volume – 14
Issue – 1
September- October 2026
Pp. 333 - 338

Submitted: 12 Oct 2026
Revised: 21 Oct 2026
Accepted: 25 Oct 2026
Published: 31 Oct 2026

Corresponding Author:
Param Patil

Quick Response Code:

Website: https://ijaar.co.in/

DOI: 10.5281/zenodo.23972714

DOI Link: https://doi.org/10.5281/zenodo.23972714

Creative Commons

OPEN ACCESS

Abstract:

Car servicing takes place indifferent to repairs on cars; although many service centers also utilize manual booking and record keeping. Customers sit there waiting until they get time in line and do not get to know what slots are offered before he or she comes to work or face difficulties filling with call after service has finished. You may be full of more customers and too many spots and might even get a bit lost if you do not track your service records. In this study, we present an intelligent cloud-based service booking and management system for the vehicle that will provide an intelligent improvement to the vehicle's maintenance process and information by using technological and data management. This system can be based on customer registration, availability of service slots, notifications and management of previous service records. It suggests other service centers in cases where the center chosen is unavailable. Contrarily, the software will be written in the MERN stack, with React. js, Node. js, Express. js and MongoDB. Moreover, data, through bookings and service records, can also be utilized for analysis of service demand and operation habits. By improving our service-center management through this system, we are able to minimize manual work, better manage service-centers and have a more easy way for people to use their cars more efficiently.

Keywords: Vehicle Service management, Cloud Computing system, Data Analytics, Online Booking system, Used MongoDB Database, MERN Stack Technology.

Creative Commons (CC BY-NC-SA 4.0)

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License (CC BY-NC-SA 4.0), *which permits others to remix, adapt, and build upon the work non-commercially, provided that appropriate credit is given and that any new creations are licensed under identical terms.*

How to cite this article:

Param Patil (2026). A Smart Cloud-Based Vehicle Service Booking and Management System Using Data Analytics. International Journal of Advance and Applied Research, 14(1), 333 – 338. https://doi.org/10.5281/zenodo.23972714

Introduction:

The vehicles used for personal and commercial transport are gaining ever greater numbers. Actually, routine servicing is mandatory to maintain vehicle efficiency, safety and durability. And in fact, regular servicing is paramount to maintain an efficient, safe and durable vehicle. By contrast, for customers and

service-center employees, the conventional process remains more complicated. They may look to the services center and when they go in at the time they want to attend, rather than wait for anyone with the service that they expect, in some conventional manner and without knowing that they would need to go in queues for something. Digital technology can fix all these problems. Along with existing services management tool that has enabled customers to discover precisely what kind of service they want while utilizing service center, and this system can incorporate customer information that they are able to book and record at service center itself. A Data Analytics, Smart Cloud Based Systems for Vehicle Services Booking and Management System The proposed system is a system that provides a digital channel that connects customers, service centers employees and administrators. You provide booking through online services, vehicle data management, service history, notifications, and availability at service centers. MERN technology stack has been used in the project. React. js, Node. js and Express. js, Backend services, MongoDB. JWT could add authentication and role-based access. The development is provided by the cloud, which makes it possible to access or to access the services for a bigger market. By the service data generated by the system, we could see how reservation patterns, service demand and center usage are set.

Literature Review:

1. Vehicle Service Management Systems:

When vehicle service management systems are built, details of the customer, vehicle information, vehicle requests, and service history are searched. Vehicle-service applications now make booking of services, service track, remind and record service history management.

2. Online service slot booking systems:

One can have the online portals to register service slots to help clients scheduling a service before going to a service center. Online appointment systems help to lessen manually booked appointments and help keep customer knowledge on availability.

3. Cloud-Based Data Management:

Cloud computing helps in storing data with different cloud based systems and supporting storage while the user can access and use applications to process data. Cloud backup is another tool to protect and safeguard the records.

4. A Data Analysis of Vehicle Service Management:

Vehicle service systems have some of the important information available to you for different customer-a and service systems. It includes number of bookings, dates, types, reservation slot, status of the service center, vehicle information and usage of the service center. Such information can also be analyzed to know which customers use the service. As an example, if there are many service centers booked on the weekends, the manager can take this into consideration when scheduling more staff and slots.

5. Research Gap:

New digital vehicle service systems suggest that there are a number of beneficial features, though the concept remian to emerge for a complete system with system to process booking, service, cloud-based data storage and analysis in one platform. Such integrated functions are not enough, and this is the aim of the study to have the solution coherent.

International Journal of Advance and Applied Research
Peer Reviewed | International Open Access Journal
ISSN: 2347-7075 | Impact Factor – 8.26 | *Website:* https://ijaar.co.in/
Volume-14, Issue-1 | September - October 2026

Research Methodology:

This project aims at the design-science research technique, based upon which one must make reasonable assumptions as to whether the main contribution of the paper would be a novel, deliberately constructed artefact — in this instance, software architecture — or a purely theoretical model. The methodology followed the following process: Problem identification and motivation: We have received feedback of past vehicle-service and roadside assistance applications to inform in a series of informal discussions, and will I discuss the common customer problems (e.g. in between nearby centers to make it clear they are not covered on any initial fault basis. Requirement collection: functional vs non-functional requirements were collected on the writer's past Smart Service Center for Vehicle Project, supplemented with a review of published systems that are comparable. In Part IV, we drafted a layered architecture using all these layers, presenting the application, the data, the cloud, the data-science, soft-computing and the image-processing (what is presented in Section 4). We chosen the MERN stack for the core application, because it has the same JavaScript codebase and can be used for a RESTful, single-page-application, whereas I considered Python for the analytics and image-classification layers because they have already a mature machine-learning ecosystem. Iterative development: modules were intended to be used for iterative development.

Proposed System: Smart Service Center for Vehicle (SSCV):

1. Overall Architecture:

The proposed system retains the three conventional MERN layers - a React.js front end for customers, service-center owners, and administrators; an Express.js/Node.js application layer exposing REST APIs; and a MongoDB data layer — and adds four cross-cutting layers described below and described in the following sections.

2. Cloud Computing Layer:

The application is packaged using Docker containers and deployed on a cloud platform (for example, AWS, Microsoft Azure, or a managed platform such as Render), with MongoDB Atlas used as a managed, geographically replicated database. This allows the number of applications to find automatically with traffic, provides automated backups, and removes the need for a small service center to update its own servers. A content-delivery network is used to serve the React front end and uploaded images with low latency.

3. Data Science Layer:

In the data science layer, all the data is stored in MongoDB database in the forms of documents, and every record can be found easily by using the simple queries. Simple time-series and regression models (for example, moving-average and gradient-boosted models available in Scikit-learn) are used to forecast the expected number of bookings per service type over the coming week, and to flag centers whose spare-parts stock is likely to run low. Results are surfaced to service-center owners and platform administrators through an analytics dashboard in the React front end.

4. Soft Computing Layer: Fuzzy Nearest-Centre Recommendation:

Instead of the selection of neighborly centers, they are inferred as geographic locations of their location; instead the recommendation engine uses a Madman blurred inference model that has four input linguistic

variables-distance (near / moderate / far), customer rating (low / average / high), current workload (light / moderate / heavy), and estimated cost (low / medium / high)-and one output variable (suitability (poor / fair / good / excellent). A representative rule is: 'IF distance is near AND rating is high AND workload is light then suitability is excellent. Then centroid denazification converts the composite blurred output into a numerical suitability score, and centers that are shown to the customer are judged by the given score instead of the distance alone. All this data is generated with Aversive (Quartz formula to give this straight-line distance between the client's location and every candidate center).

5. Image Processing Layer: Preliminary Fault Classification:

These images are resized and normalized and are carried through a convolutional neural network trained on a labeled dataset that serves car-fault categories — e.g. body dent, scratch, fluid leak, tire damage, broken light. The prediction of a category and confidence score is attached to the service request to form a precursor indicator for the service advisor; the module is being designed explicitly as a triage aid, and will not replace a qualified technician's diagnosis. On an illustrative page, the next customer is fairly distant from a number of different centers; the closer one is a bit away, more overloaded, lower-rated and high rating (if possible) to the further one is a little farther; less foregrounded and well rated, for less foregrounded, and high ratings — the more close the center, the higher the gradation on the customer. In another case, the same customer a nearer is driven less far but somewhat a little farther low rated high rating; the slight farer than those next to it, good score. The results can be repeated statistically after we have real usage data in view of what we log down waiting times and rating for the other strategies and find the effect on the expected result. When in the image-classification module, such accuracy should be reported with a confusion matrix and standard metrics (precision, recall, F1-score) once a labeled evaluation dataset is collected, instead of an assumption for what kind of datasets are already collected for a unique entity on an individual dataset.

Advantages of the Proposed System:

It becomes more convenient for customers to reach a center on a broader scale, rather than being isolated from one — the chance is slim that they are sent to one too heavily under-staffed or not well rated. Service center owners understand potential demand ahead and be able to better work for the team and also spare parts accordingly. Deployment in the cloud eliminates the infrastructure for small and independent service centers and allows the platform to move with adoption. New, pre-failure-based classification can improve the speed of submitting the requested items and providing technicians with work. For a single codebase, MERN still makes up the central application and analytical and image processing, requiring an array of different functions.

Result and Discussion:

Informational Electronic Vehicle Service Booking & Management System. We also used an evaluative tool that will evaluate different fields like customer registration, log in, vehicle information management, service slots and service center decisions on screen.

What this exercise was aimed at was to assess the feasibility of bringing in system capability for traditional car services and customer booking capability. A user who logs into your accounts would receive legitimate data, and it will come to the attention if users validate their log-in. This was checked for whether a user could use his existing credentials or used incorrect credentials. It will show you the type of vehicle, for example, model or registration number, as if they were given incorrect credentials. In the present environment, the concept of E-Creation allows the support service center staff to obtain electronic data at the same time. Testing on the full slot gave to the venues that never had any appointments. In fact, it even mitigated the user input from searches. It also offers staff appointments and checking a booking status, updating service records, and keeping up service histories on electronic records. By looking at previous maintenance history, it helps with e-massing the retrieved data of this old maintenance. Registrations and service records might also tell what type of appointments the company receives, whom users it is and what the time and money needs spent at a service centre. These occurrences could help managers to fine-tune scheduling for staff and appointment scheduling. A thorough and high-quality overall development plan for the program will assist in smooth scheduling of service provision, recording operating efficiently. Yet those measures are not easily available with measurable, practical and real-world measures. With accurate service center data you will have to be more transparent and validated in your determining how well it changes the time frame, satisfaction and overall operational factors for less times vs. time is better spent.

Conclusion:

This paper has developed a four-layer extension—cloud computing, data science, soft computing and image processing—to a conventional MERN-stack vehicle service management system, utilizing the author's previous Smart Service Center for Vehicle project as the base application. The fuzzy multi-criteria recommendation engine, which has been proposed as well as the CNN-based preliminary fault-classification module, is designed to meet two main deficiencies for distance-only booking systems. While a short introduction to the evaluation of this work isn't at the expense of technical or clinical implementation, it is based on the architecture and methodology outlined that provide a common foundation in future use, data collection and quantitative metric-reduction (account) with the use of several domains of computer science on a single student-oriented application.

References:

1. Mell, P., & Grance, T. (2011). The NIST Definition of Cloud Computing. NIST Special Publication 800-145, National Institute of Standards and Technology, U.S. Department of Commerce.
2. Chen, M., Mao, S., & Liu, Y. (2014). Big Data: A Survey. Mobile Networks and Applications, 19(2), 171-209.
3. Zadeh, L. A. (1965). Fuzzy Sets. Information and Control, 8(3), 338-353.
4. Ross, T. J. (2010). Fuzzy Logic with Engineering Applications (3rd ed.). John Wiley & Sons.
5. LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep Learning. Nature, 521(7553), 436-444.

6. Lee, J., Bagheri, B., & Kao, H. A. (2015). A Cyber-Physical Systems Architecture for Industry 4.0-based Manufacturing Systems. Manufacturing Letters, 3, 18-23.
7. Mohanty, S. P., Hughes, D. P., & Salathe, M. (2016). Using Deep Learning for Image-Based Plant Disease Detection. Frontiers in Plant Science, 7, 1419.
8. Chodorow, K. (2013). MongoDB: The Definitive Guide (2nd ed.). O'Reilly Media.
9. Patidar, S., Rane, D., & Jain, P. (2012). A Survey Paper on Cloud Computing. Proceedings of the 2nd International Conference on Advanced Computing & Communication Technologies (ACCT), 394-398.
10. Param Patil. (2025). Smart Service Center for Vehicle: A MERN-Stack Web Application for Vehicle Service Management and Nearest-Centre Location. Final-Year Project Report, Sonopant Dandekar Shikshan Mandali, Palghar